



I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

PATENT
Docket No.: 021756-016200US
Client Reference No.: OID-2005-245-01

Office of Initial Patent Examination
Filing Receipt Corrections
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

On

August 18, 2006

TOWNSEND and TOWNSEND and CREW LLP

By:

Justin A. Marincic

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

ALAN BALLARD et al.

Application No.: 10/035,413

Filed: December 28, 2001

For: CUSTOMIZATION OF
IMMEDIATE ACCESS AND HOTKEY
FUNCTIONALITY IN AN INTERNET
APPLICATION USER INTERFACE

Examiner: Ryan F. Pitaro

Art Unit: 2174

REQUEST FOR CORRECTED FILING
RECEIPT

Office of Initial Patent Examination
Filing Receipt Corrections
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Attached is a redline corrected copy of Updated Filing Receipt for the above-noted application for which issuance of a corrected Filing Receipt is respectfully requested.

There is an error in the Domestic Priority section of the Filing Receipt. The correct Domestic Priority should read as follows **(with corrections noted in bold text):**

THIS APPLN CLAIMS BENEFIT OF 60/273,190 03/02/2001

AND CLAIMS BENEFIT OF 60/316,773 08/31/01

In support of this priority claim, we have attached the Second Preliminary Amendment that was filed with the U.S. Patent Office on July 8, 2002. The second

priority claim (60/316,773, filed 08/31/01) was listed in the application as filed without the serial number because the serial number was unavailable at the time the application was filed. The Second Preliminary Amendment amends the specification to include the serial number in paragraph [0001] as noted in Exhibit A to the Second Preliminary Amendment. In addition, the serial numbers for related applications have also been updated in paragraph [0002], lines 2, 3, 5, 7, and 9 as illustrated in Exhibit A to the Second Preliminary Amendment.

In further support of this priority claim, Applicants also include a copy of the Amendment to the Office Action mailed December 1, 2005, filed February 17, 2006, which amends paragraph 0001 of the specification.

Applicants respectfully request the Attorney Docket No. and Addressee sections to be updated. Please update the Attorney Docket No. as follows with corrections noted in bold text:

021756-016200US


Please correct the Addressee as follows with correction noted in bold text:

51206
TOWNSEND AND TOWNSEND AND CREW LLP
Two Embarcadero Center
Eighth Floor
San Francisco, CA 94111

An Application Data Sheet is included with this Request.


Per current PTO guidelines, there is no charge for correcting the Filing Receipt. Applicants respectfully request that the Filing Receipt be corrected.

Respectfully submitted,



Jason D. Lohr
Reg. No. 48,163

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, 8th Floor
San Francisco, California 94111-3834
Tel: (415) 576-0200/ Fax: (415) 576-0300
JDL/km



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
10/035,413	12/28/2001	2181	3030	PA2065US	25	70	18

021756-0162004S

CONFIRMATION NO. 3118

~~22830 51206~~~~CARR & FERRELL LLP~~ **TOWNSEND AND TOWNSEND AND CREW LLP**~~2225 EAST BAYSHORE ROAD~~ **TWO EMBARCADERO CENTER**~~SUITE 200~~~~PALO ALTO, CA 94303~~ **EIGHTH FLOOR
SAN FRANCISCO, CA 94111**

OC000000008062735

Date Mailed: 05/09/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Alan Ballard, Vancouver, CANADA;
John Schroeder, Pleasanton, CA;
Peggy Shafer, Pleasanton, CA;
Theresa Sherwood, Walnut Creek, CA;

Domestic Priority data as claimed by applicant

THIS APPLN CLAIMS BENEFIT OF 60/273,190 03/02/2001
AND CLAIMS BENEFIT OF 60/316,773 08/31/2001

Foreign Applications

If Required, Foreign Filing License Granted 02/08/2002

Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

Title

Customization of immediate access and hotkey functionality in an internet application user interface

Preliminary Class

710

**LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15**

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

TO THE U.S. PATENT AND TRADEMARK OFFICE
Please stamp and date of receipt of the following document(s)

RE: Application of Alan BALLARD et al.: CUSTOMIZATION OF
IMMEDIATE ACCESS AND HOTKEY FUNCTIONALITY IN AN
INTERNET APPLICATION USER INTERFACE

TITLE OF DOCUMENT(S):

1. Amendment (20 pages)
2. PTO/SB/21 Transmittal Form
3. Return Postcard

Application No. 10/035,413
File No. 021756-016200US
Date Mailed February 17, 2006
Attny/Secty. DBR/ssb
60706130 v1



COPY



PTO/SB/21 (09-04)

**TRANSMITTAL
FORM**

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

22

Application Number

10/035,413

Filing Date

December 28, 2001

First Named Inventor

Ballard, Alan

Art Unit

2174

Examiner Name

Ryan F. Pitaro

Attorney Docket Number

021756-016200US

ENCLOSURES (Check all that apply)

- | | | |
|---|---|---|
| <input type="checkbox"/> Fee Transmittal Form | <input type="checkbox"/> Drawing(s) | <input type="checkbox"/> After Allowance Communication to TC |
| <input type="checkbox"/> Fee Attached | <input type="checkbox"/> Licensing-related Papers | <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences |
| <input checked="" type="checkbox"/> Amendment/Reply (20 pages) | <input type="checkbox"/> Petition | <input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) |
| <input type="checkbox"/> After Final | <input type="checkbox"/> Petition to Convert to a Provisional Application | <input type="checkbox"/> Proprietary Information |
| <input type="checkbox"/> Affidavits/declaration(s) | <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address | <input type="checkbox"/> Status Letter |
| <input type="checkbox"/> Extension of Time Request | <input type="checkbox"/> Terminal Disclaimer | <input checked="" type="checkbox"/> Other Enclosure(s) (please identify below): |
| <input type="checkbox"/> Express Abandonment Request | <input type="checkbox"/> Request for Refund | This Transmittal Form (1 page) |
| <input type="checkbox"/> Information Disclosure Statement | <input type="checkbox"/> CD, Number of CD(s) _____ | Return Postcard |
| | <input type="checkbox"/> Landscape Table on CD | |
| <input type="checkbox"/> Certified Copy of Priority Document(s) | Remarks The Commissioner is authorized to charge any additional fees to Deposit Account 20-1430. | |
| <input type="checkbox"/> Reply to Missing Parts/ Incomplete Application | | |
| <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53 | | |

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name	Townsend and Townsend and Crew LLP		
Signature			
Printed name	David B. Raczkowski		
Date	February 17, 2006	Reg. No.	52,145

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.

Signature


Typed or printed name

Sushma Sanganeris-Brady

Date

February 17, 2006

COPY



I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

On February 17, 2006

TOWNSEND and TOWNSEND and CREW LLP

By: Sushma Sanganeris-Brady
Sushma Sanganeris-Brady

PATENT
Attorney Docket No.: 021756-016200US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Alan Ballard

Application No.: 10/035,413

Filed: December 28, 2001

For: CUSTOMIZATION OF
IMMEDIATE ACCESS AND HOTKEY
FUNCTIONALITY IN AN INTERNET
APPLICATION USER INTERFACE

Customer No.: 51206

Confirmation No. 3118

Examiner: Pitaro, Ryan F.

Technology Center/Art Unit: 2174

AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action mailed December 1, 2005, please enter the following amendments and remarks:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 19 of this paper.

COPY

Appl. No. 10/035,413
Amdt. dated February 17, 2006
Reply to Office Action of December 1, 2005

PATENT

Amendments to the Specification:

Please replace paragraph 0001 with the following amended paragraph:

--This application claims priority from commonly owned U.S. Provisional Patent Application No. 60/273,190 entitled "HTML - Based Applications for Support of Complex Transactions," filed March 2, 2001 and U.S. Provisional Application No. 60/316,773 entitled "Meta Language Control of Complex Network Applications," filed August 31, 2001.--

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1 1. - 3 (Canceled)
- 1 4. (Previously Presented) A customizable application system comprising:
2 an internet application system configured to support an internet application, the
3 internet application associated with metadata configured for use in generating an application user
4 interface including a user interface element, the internet application system including,
5 a) a user interface generator configured to generate the application
6 user interface using the metadata, and
7 b) a web application server configured to deliver the application user
8 interface to a client;
9 an application development system configured to generate the metadata, the
10 metadata being further configured to characterize a user customizable immediate access
11 keystroke combination associated with the user interface element;
12 a configuration system including a configuration engine and a configuration
13 interface, the configuration interface configured to modify configuration data further
14 characterizing the customizable immediate access keystroke combination in response to
15 receiving input from a user defining the customizable immediate access keystroke combination,
16 the keystroke combination for a function to be performed for the user interface element; and
17 a data repository including a data record for storing the configuration data, the
18 data record being accessible using the metadata, the data record defining the function,
19 wherein the application user interface is automatically generated and configured
20 to perform the function for the user interface element when the immediate access keystroke
21 combination is received.

1 5. (Previously Presented) An application development system for
2 developing an internet application having an application user interface, the application
3 development system comprising:
4 an integrated development environment configured for specifying a user interface
5 element in the application user interface, the user interface element having a user customizable
6 immediate access keystroke combination, the integrated development environment configured to
7 receive input from a user defining the customizable immediate access keystroke combination, the
8 keystroke combination for a function to be performed for the user interface element; and
9 an application designer configured to produce metadata to characterize the
10 customizable immediate access keystroke combination, the metadata defining the function,
11 wherein the application user interface is automatically generated and configured
12 to perform the function for the user interface element when the immediate access keystroke
13 combination is received.

1 6. (Previously Presented) The application development system of claim 5,
2 wherein the immediate access keystroke combination is a hotkey keystroke combination.

1 7. (Previously Presented) The application development system of claim 5,
2 wherein the immediate access keystroke combination is responsive to the identity of a user.

1 8. (Previously Presented) A customizable application system for developing
2 an application user interface associated with an internet application comprising:
3 an integrated development environment configured for a developer to specify a
4 user interface element in the application user interface, the user interface element having a user
5 customizable immediate access keystroke combination, the integrated development environment
6 configured to receive input from the developer defining the customizable immediate access
7 keystroke combination, the keystroke combination for a function to be performed for the user
8 interface element;

9 an application designer configured to produce metadata characterizing the user
10 customizable immediate access keystroke combination; and
11 a data repository including a data record accessible using the metadata, the data
12 record being user modifiable and being configured to store data used to further characterize the
13 customizable immediate access keystroke combination, the data record defining the function,
14 wherein the application user interface is automatically generated and configured
15 to perform the function for the user interface element when the immediate access keystroke
16 combination is received.

1 9. (Previously Presented) The customizable application system of claim 8,
2 wherein the user customizable immediate access keystroke combination is a hotkey keystroke
3 combination.

1 10. (Previously Presented) The customizable application system of claim 8,
2 wherein the user customizable immediate access keystroke combination is configurable
3 according to the identity of a user.

1 11. (Previously Presented) The customizable application system of claim 8,
2 wherein the data record is user modifiable using a configuration system.

1 12. (Previously Presented) The customizable application system of claim 8,
2 wherein the data record is user modifiable using a personalization system.

1 13. (Previously Presented) The customizable application system of claim 12,
2 wherein the personalization system is integrated into the internet application.

1 14. (Previously Presented) An application execution system comprising:
2 a configuration system configured to modify a data record in response to
3 receiving input from a user defining a customizable immediate access keystroke combination,
4 the keystroke combination for a function to be performed for a user interface element

5 an internet application system configured to support an internet application, the
6 internet application system including a query processor configured to query a data repository, the
7 data repository including the user-modifiable data record configured to store data characterizing
8 a user customizable immediate access keystroke combination, the data record defining the
9 function,;

10 an application user interface including the user interface element, the application
11 user interface configured as an interface between the internet application and a user, the user
12 interface element including the user customizable immediate access keystroke combination, the
13 user interface element configured for delivery to a client over a computer network, wherein the
14 application user interface is automatically generated and configured to perform the function for
15 the user interface element when the immediate access keystroke combination is received; and
16 metadata further characterizing the customizable immediate access keystroke
17 combination.

1 15. (Previously Presented) The application execution system of claim 14,
2 wherein the client supports the application user interface using standard web browser protocols.

1 16. (Previously Presented) The application execution system of claim 14,
2 wherein the client supports the application user interface using features of a web browser, the
3 features not requiring a browser add-on, plug-in, or extension.

1 17. (Previously Presented) The application execution system of claim 14,
2 further including a personalization system configured to modify the user modifiable data record.

1 18. (Previously Presented) The application execution system of claim 17,
2 wherein the personalization system is included in the internet application.

1 19. (Previously Presented) An internet application system comprising:
2 a configuration system configured to modify data characterizing a user
3 customizable immediate access keystroke combination in response to receiving input from a user

4 defining the customizable immediate access keystroke combination for a function to be
5 performed for a user interface element;
6 a user interface generator configured to generate a user interface including the
7 user interface element, the user interface being compatible with a standard web browser and
8 being generated in response to a request from a user, the user interface element including a user
9 customizable immediate access keystroke combination, wherein the user interface is
10 automatically generated and configured to perform the function for the user interface element
11 when the immediate access keystroke combination is received;
12 a web application server configured to deliver the user interface to a client; and
13 an internet application accessible to the user through the generated user interface.

1 20. (Previously Presented) The internet application system of claim 19,
2 wherein the user interface generator is further configured to use metadata to characterize the user
3 customizable immediate access keystroke combination.

1 21. (Previously Presented) The internet application system of claim 19,
2 wherein the user customizable immediate access keystroke combination is a hotkey keystroke
3 combination.

1 22. (Previously Presented) The internet application system of claim 19,
2 wherein the user interface generator is further configured to use a user modifiable data record to
3 characterize the user customizable immediate access keystroke combination.

1 23. (Previously Presented) The internet application system of claim 19,
2 further including means for accessing a user-modifiable data record including data characterizing
3 the user customizable immediate access keystroke combination.

1 24. (Previously Presented) The internet application system of claim 19,
2 wherein the internet application includes a configuration system configured to modify data
3 characterizing the user customizable immediate access keystroke combination.

1 25. (Previously Presented) The internet application system of claim 19,
2 wherein the client is a wireless system.

1 26. (Previously Presented) The internet application system of claim 19,
2 wherein the client is a programmable device configured to support standard web browser
3 protocols.

1 27. (Previously Presented) An internet application comprising:
2 an application user interface including a user interface element with a user
3 customizable immediate access keystroke combination, the application user interface configured
4 for delivery to a client and configured to operate as an interface between a user and the internet
5 application, wherein the application user interface is automatically generated and configured to
6 perform the function for the user interface element when the immediate access keystroke
7 combination is received;
8 a user modifiable data record stored in a location physically remote from the
9 client, the user modifiable data record configurable for use by a user interface generator to
10 generate the application user interface, the user modifiable data record further configurable to
11 characterize the user customizable immediate access keystroke combination with data defining a
12 function, the customizable immediate access keystroke combination being received from a user,
13 the keystroke combination for a function to be performed for the user interface element; and
14 metadata configurable for use by the user interface generator to access the user
15 modifiable data record.

1 28. (Previously Presented) The internet application of claim 27, wherein the
2 user customizable immediate access keystroke combination is a hotkey keystroke combination.

1 29. (Previously Presented) The internet application of claim 28, wherein the
2 user modifiable data record is further configurable such that generation of the application user
3 interface is responsive to an identity of the client.

1 30. (Previously Presented) The internet application of claim 27, wherein the
2 user modifiable data record is configurable using a configuration interface.

1 31. (Previously Presented) The internet application of claim 27, wherein the
2 user modifiable data record is further configurable such that generation of the application user
3 interface is responsive to an identity of the user.

1 32. - 34. (Canceled)

1 35. (Previously Presented) A method of developing a customizable user
2 interface element for inclusion in an application user interface, the method comprising the steps
3 of:
4 developing a user interface element;
5 specifying a customizable property of the user interface element, the customizable
6 property including a user customizable immediate access keystroke combination;
7 determining a data record for holding a value configured to characterize the user
8 customizable immediate access keystroke combination, the data record being stored in a data
9 repository and being user modifiable, the data repository being physically remote from a client
10 used to display the application user interface, the application user interface being for accessing
11 an internet application;
12 generating metadata further characterizing the user customizable immediate
13 access keystroke combination, the metadata including a reference to the data record;
14 storing the metadata in association with the user interface element;
15 receiving input from a user defining the customizable immediate access keystroke
16 combination for a function to be performed for the user interface element; and
17 configuring the value of the data record to define the function,
18 wherein the application user interface is automatically generated and configured
19 to perform the function for the user interface element when the immediate access keystroke
20 combination is received.

1 36. (Previously Presented) The method of claim 35, wherein the user
2 customizable immediate access keystroke combination is a hotkey keystroke combination.

1 37. (Previously Presented) The method of claim 36, wherein the step of
2 specifying a customizable property is performed using an integrated development environment.

1 38. (Previously Presented) The method of claim 36, wherein the internet
2 application includes a configuration system configured to modify the data record.

1 39. (Previously Presented) A method of generating a customizable
2 application user interface, the method comprising the steps of:
3 accessing a page definition, the page definition including metadata for
4 characterizing a user customizable immediate access keystroke combination;
5 accessing a data record using the metadata, the data record being stored in a data
6 repository and being user modifiable in response to receiving input from a user defining the
7 customizable immediate access keystroke combination for a function to be performed for the
8 user interface element, the data record defining the function, the data repository being physically
9 remote from a client used to display the user customizable application user interface;
10 determining a value characterizing the user customizable immediate access
11 keystroke combination using information stored in the data record;
12 generating markup-language responsive to the determined value; and
13 including the generated markup-language in an application user interface, wherein
14 the markup-language is usable to automatically generate the application user interface that is
15 configured to perform the function for the user interface element when the immediate access
16 keystroke combination is received.

1 40. (Previously Presented) The method of claim 39, wherein the customizable
2 application user interface is a user interface to an internet application.

1 41. (Previously Presented) The method of claim 40, further including a step
2 of modifying the data record using a configuration system.

1 42. (Previously Presented) The method of claim 40, wherein the step of
2 accessing a data record using the metadata is responsive to the identity of a user.

1 43. (Previously Presented) The method of claim 40, wherein the user
2 customizable immediate access keystroke combination is a hotkey keystroke combination.

1 44. (Previously Presented) A method of developing an HTML based interface
2 between a user and an application, the method comprising the steps of:
3 receiving a selection of a user interface element from a user in response defining a
4 customizable immediate access keystroke combination, the keystroke combination for a function
5 to be performed for the user interface element;
6 associating the user interface element with a data record, the data record being
7 stored in a data repository and being user modifiable, the data record defining the function,;
8 including the user interface element in the interface, wherein the interface is
9 automatically generated and configured to perform the function for the user interface element
10 when the immediate access keystroke combination is received;
11 generating metadata characterizing the user customizable immediate access
12 keystroke combination, the metadata being for accessing the data record; and
13 storing the metadata in association with the application.

1 45. (Previously Presented) The method of claim 44, wherein the application is
2 an internet application.

1 46. (Previously Presented) The method of claim 45, wherein the metadata is
2 configured to access the data record responsive to an identity of a user of the application.

1 47. (Previously Presented) The method of claim 45, wherein the customizable
2 immediate access keystroke combination is a hotkey keystroke combination.

1 48. (Previously Presented) A method of customizing an immediate access
2 keystroke combination in an HTML based application user interface for accessing an internet
3 application, the method comprising the steps of.
4 accessing a configuration system, the configuration system including a
5 configuration engine and a configuration interface;
6 selecting, using the configuration interface, the immediate access keystroke
7 combination of a user interface element in the HTML based application user interface, the
8 immediate access keystroke combination being user customizable, the keystroke combination for
9 a function to be performed for the user interface element; and
10 specifying configuration data using the configuration interface, the configuration
11 data characterizing the immediate access keystroke combination and the configuration data being
12 stored in a data repository physically remote from a client used to display the HTML based
13 application user interface, the configuration data defining the function,
14 wherein the application user interface is automatically generated and configured
15 to perform the function for the user interface element when the immediate access keystroke
16 combination is received.

1 49. (Previously Presented) The method of claim 48, wherein the immediate
2 access keystroke combination is a hotkey keystroke combination.

1 50. (Previously Presented) The method of claim 48, wherein configuration
2 data is configured to characterize the immediate access keystroke combination responsive to an
3 identity of a user of the internet application.

1 51. (Previously Presented) The method of claim 48, further including a step
2 of modifying the configuration data using a personalization system.

1 52. (Previously Presented) The method of claim 48, wherein the HTML based
2 application user interface is displayed at the client without requiring a browser add-on, plug-in,
3 or extension.

1 53. (Previously Presented) A method of customizing an immediate access
2 keystroke combination in an application user interface, the method comprising the steps of:
3 accessing a configuration system, the configuration system including a
4 configuration engine and a configuration interface;
5 selecting, using the configuration interface, an immediate access keystroke
6 combination of a user interface element in an application user interface, the immediate access
7 keystroke combination being user customizable, the keystroke combination for a function to be
8 performed for the user interface element;
9 specifying configuration data using the configuration interface, the configuration
10 data characterizing the immediate access keystroke combination, the configuration data defining
11 the function; and
12 automatically generating the application user interface using the specified
13 configuration data, the application user interface being associated with an internet application
14 and configured to perform the function for the user interface element when the immediate access
15 keystroke combination is received.

1 54. (Previously Presented) The method of claim 53, further including a step
2 of displaying the application user interface using standard web browser protocols.

1 55. (Previously Presented) The method of claim 53, wherein the immediate
2 access keystroke combination is a hotkey keystroke combination.

1 56. (Previously Presented) A method of executing an internet application
2 comprising the steps of:
3 receiving a request for an application user interface from a client, the application
4 user interface including a user interface element;
5 accessing a page definition, the page definition including metadata characterizing
6 the requested application user interface;

7 retrieving, using the metadata, a value characterizing a user customizable
8 immediate access keystroke combination of the user interface element, the value being stored in
9 a data repository physically remote from the client, the value defining a function for the
10 customizable immediate access keystroke combination, the keystroke combination for the
11 function to be performed for the user interface element being received from a user;
12 automatically generating HTML responsive to the retrieved value;
13 including the generated HTML in the requested application user interface; and
14 delivering the requested user interface to the client, the requested application user
15 interface being an interface between a user and the internet application, wherein the application
16 user interface is configured to perform the function for the user interface element when the
17 immediate access keystroke combination is received.

1 57. (Previously Presented) The method of claim 56, wherein the user
2 customizable immediate access keystroke combination is a hotkey keystroke combination.

1 58. (Previously Presented) The method of claim 56, wherein the retrieved
2 value is personalization data.

1 59. (Previously Presented) The method of claim 56, further including a step
2 of displaying the application user interface on the client using standard web browser protocols.

1 60. (Previously Presented) The method of claim 56, further including the step
2 of identifying the requestor, wherein the step of retrieving a value is responsive to the identity of
3 the requester.

1 61. (Previously Presented) The method of claim 56, wherein the step of
2 retrieving a value is responsive to inclusion of the application user interface in an application
3 component.

1 62. (Previously Presented) A method of generating an application user
2 interface including a user customizable immediate access keystroke combination, the method
3 comprising the steps of:
4 accessing a page definition, the page definition including metadata associated
5 with the user customizable immediate access keystroke combination;
6 reading data from a data record using the metadata, the data record being stored in
7 a data repository and being user modifiable, the data repository being physically remote from a
8 client used to display the application user interface, the data record defining a function for the
9 customizable immediate access keystroke combination, the keystroke combination for the
10 function to be performed for the user interface element being received from a user;
11 determining a value characterizing the user customizable immediate access
12 keystroke combination using the data read from the data record;
13 automatically generating HTML responsive to the determined value; and
14 including the generated HTML in the application user interface, the application
15 user interface being for accessing an internet application, wherein the application user interface
16 is configured to perform the function for the user interface element when the immediate access
17 keystroke combination is received.

1 63. (Previously Presented) The method of claim 62, wherein the user
2 customizable immediate access keystroke combination is a hotkey keystroke combination.

1 64. (Previously Presented) The method of claim 62, wherein the data record
2 includes personalization data.

1 65. (Previously Presented) The method of claim 62, further comprising:
2 delivering the application user interface to the client; and
3 displaying the application user interface at the client using standard web browser
4 protocols.

1 66. (Previously Presented) The method of claim 62, further including
2 identifying the client, wherein the step of reading data is responsive to the identity of the client.

1 67. (Previously Presented) The method of claim 62, further including a step
2 of identifying a user, wherein the step of reading data is responsive to the identity of the user.

1 68. (Previously Presented) A method of generating a user customizable
2 application user interface configured for delivery from a server to a client, the method
3 comprising the steps of:
4 receiving a request for the user customizable application user interface from a
5 requestor, the user customizable application user interface including a user interface element;
6 identifying the requester of the user customizable application user interface;
7 accessing a page definition, the page definition including metadata characterizing
8 the requested user customizable application user interface;
9 retrieving a value characterizing a customizable immediate access keystroke
10 combination included in the user interface element, using the metadata and the identity of the
11 requester, the value being user modifiable and being stored in a data repository physically remote
12 from the client, the value defining a function for the customizable immediate access keystroke
13 combination, the keystroke combination for the function to be performed for the user interface
14 element being received from a user;
15 automatically generating HTML responsive to the value;
16 including the generated HTML in the requested user customizable application
17 user interface; and
18 delivering the requested user customizable application user interface to the client,
19 wherein the application user interface is configured to perform the function for the user interface
20 element when the immediate access keystroke combination is received.

1 69. (Previously Presented) The method of claim 68, wherein the customizable
2 immediate access keystroke combination is a customizable hotkey keystroke combination.

1 70. (Previously Presented) The method of claim 68, further including
2 displaying the user customizable application user interface using standard web browser.
3 protocols.

1 71. (Previously Presented) A computer readable medium including an
2 internet application, the internet application comprising:
3 metadata defining an application user interface, the application user interface
4 including a user interface element with a user customizable immediate access keystroke
5 combination, the application user interface configured for delivery to a client and configured to
6 operate as an interface between a user and the internet application;
7 a user interface generator configured to generate the application user interface
8 using a user modifiable data record stored in a location physically remote from the client, the
9 user modifiable data record configurable to characterize the user customizable immediate access
10 keystroke combination, the data record defining the function, wherein the application user
11 interface is automatically generated and configured to perform the function for the user interface
12 element when the immediate access keystroke combination is received; and
13 a configuration system configured for a user to modify the user modifiable data
14 record in response to receiving input from the user defining the customizable immediate access
15 keystroke combination, the keystroke combination for a function to be performed for the user
16 interface element, the data record being modified based on the input.

1 72. (Previously Presented) A computer readable medium including an
2 internet application, the internet application comprising:
3 an application designer configured to develop an application user interface, the
4 application user interface including a user interface element with a user customizable immediate
5 access keystroke combination, the application user interface configured for delivery to a client
6 and configured to operate as an interface between a user and the internet application;
7 a user interface generator configured to generate the application user interface
8 using a user modifiable data record stored in a location physically remote from the client, the

9 user modifiable data record configurable to characterize the user customizable immediate access
10 keystroke combination, the data record defining the function, wherein the application user
11 interface is automatically generated and configured to perform the function for the user interface
12 element when the immediate access keystroke combination is received; and
13 a configuration system configured for a user to modify the user modifiable data
14 record in response to receiving input from the user defining the customizable immediate access
15 keystroke combination, the keystroke combination for a function to be performed for the user
16 interface element, the data record being modified based on the input.

1 73. (Previously Presented) An application execution system comprising:
2 means for supporting an internet application;
3 means for automatically generating an application user interface using a user
4 modifiable data record configured to store data characterizing a user customizable immediate
5 access keystroke combination, the data defining the function, wherein the application user
6 interface is configured to perform the function for the user interface element when the immediate
7 access keystroke combination is received, the keystroke combination for the function to be
8 performed for the user interface element being received from a user; and
9 means for providing the application user interface to a user, the application user
10 interface including a user interface element, the application user interface configured as an
11 interface between the internet application and the user, the user interface element including the
12 user customizable immediate access keystroke combination, the user interface element
13 configured for delivery to a client over a computer network.

REMARKS/ARGUMENTS

Claims 4-31 and 35-73 were pending. No claims have been added, amended, or canceled. Thus, claims 4-31 and 35-73 remain pending.

Claims 4-31 and 35-73 were rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,934,697 to Warren in view of U.S. Patent No. 5,916,310 to McCain.

Claim 4

Claim 4 is allowable as Warren and McCain, either alone or in combination, do not disclose or suggest each and every element of claim 4. For example, claim 4 recites "*an application development system configured to generate the metadata, the metadata being further configured to characterize a user customizable immediate access keystroke combination associated with the user interface element.*" The rejection states that "Warren fails to distinctly point out an application development system and a configuration system for a keystroke combination" (Office Action page 3).

McCain is directed at a method of using function keys in an HTML document. *See McCain*, col. 3 lines 44-46. Neither HTML documents nor browsers for viewing these documents otherwise implement function keys. *Id.*, col. 2 lines 32-33. In McCain, an HTML page 25 has Javascript application 50 and a URL to a Java applet 48. *Id.*, col. 5 lines 62-63. The Java applet 48 maintains focus and intercepts all user-entered keystrokes. The applet 48 sends the keystrokes to the application 50, which implements "the predetermined, enhanced functionality of each particular user-entered keystroke." *Id.*, col. 6 lines 46-52. Although McCain does mention other keys, such as the edit keys of delete and home, McCain does not disclose or suggest a keystroke that does not have a predetermined function or that can be customized by a user. *Id.*, col. 8 lines 5-9. In contrast, claim 4 recites "*a user customizable immediate access keystroke combination associated with the user interface element.*" Accordingly, McCain cannot render claim 4 obvious, either alone or in combination with Warren.

Applicant submits that independent claims 5, 8, 14, 19, 27, 35, 39, 44, 48, 53, 56, 62, 68, 71, 72; and 73 should be allowable for at least the same rationale as discussed with respect to claim 4. Claims 6-7 depend from claim 5; claims 9-13 depend from claim 8; claims 15-18 depend from claim 14; claims 20-26 depend from claim 19; claims 28-31 depend from claim 27; claims 36-38 depend from claim 35; claims 40-43 depend from claim 39; claims 45-47 depend from claim 44; claims 49-52 depend from claim 48; claims 54-55 depend from claim 53; claims 57-61 depend from claim 56; claims 63-67 depend from claim 62; and claims 69-70 depend from claim 68 and thus derive patentability at least therefrom.

Applicants therefore respectfully request that the rejection with respect to claims 4-31 and 35-73 be withdrawn.

CONCLUSION

In view of the foregoing, Applicants believe all claims now pending in this Application are in condition for allowance. The issuance of a formal Notice of Allowance at an early date is respectfully requested.

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 415-576-0200.

Respectfully submitted,



David Raczkowski
Reg. No. 52,145

Dated: February 17, 2006

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, Eighth Floor
San Francisco, California 94111-3834
Tel: 415-576-0200
Fax: 415-576-0300
BNY/ljc/jtc/sfs
60600835 v1

Patent/Serial No.: 10/040,396 Issue/Filing Date: December 28, 2001
Title: System and Method for Searching Data Partially Displayed on a User Interface
Inventor(s)/Applicant(s): Theresa Sherwood et al.
C & F Docket No.: PA2063US Atty/Sec. Initials: SMC/elf
Date Mailed: July 8, 2002 Delivery Method: First Class Docket Due Date:

THE FOLLOWING HAS BEEN RECEIVED IN THE U.S. PATENT & TRADEMARK
OFFICE ON THE DATE STAMPED HEREON

- | | |
|--|---|
| <input checked="" type="checkbox"/> Transmittal letter/form PTO/SB/21 | <input checked="" type="checkbox"/> Certificate of Mailing |
| <input type="checkbox"/> Provisional Application _____ pages + cover | <input type="checkbox"/> Express Mail No. _____ |
| <input type="checkbox"/> Utility Application: _____ pages of specification
(w/ claims & abstract) | <input type="checkbox"/> Information Disclosure Statement |
| <input type="checkbox"/> Continuation/Divisional Application | <input type="checkbox"/> IDS form (PTO/SB/08) (2 copies) |
| <input type="checkbox"/> Design Application | <input type="checkbox"/> Petition for Extension of Time: _____ months |
| <input type="checkbox"/> Drawings: _____ # of sheets incl. _____ FIGs. | <input type="checkbox"/> Petition for: _____ |
| <input type="checkbox"/> Declaration & POA | <input type="checkbox"/> Issue Fee Transmittal (2 copies) |
| <input type="checkbox"/> Fee Transmittal (PTO/SB/17) (2 copies) | <input type="checkbox"/> PCT Application: _____ pgs of specification
(w/claims & abstract) |
| <input type="checkbox"/> Check in the amount of \$ _____ | <input type="checkbox"/> PCT Demand _____ pages |
| <input type="checkbox"/> Assignment & Assignment Cover Sheet | <input type="checkbox"/> PCT Request _____ pages |
| <input checked="" type="checkbox"/> Amendment/Response _____ 4 pages. | |
| <input type="checkbox"/> Other: _____ | |

PLEASE STAMP THE DATE OF RECEIPT OF THE ENCLOSED DOCUMENTS AND RETURN THIS CARD TO THE
ADDRESSEE

COPY



Please type and sign (+) inside this box → ☐

PTO/SB/21 (08-00)


Approved for use through 10/31/2002. OMB 0651-0031


U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	10/035,413	
	Filing Date	December 28, 2001	
	First Named Inventor	Alan Ballard	
	Group Art Unit	2181	
	Examiner Name	Unknown	
Total Number of Pages in This Submission	5	Attorney Docket Number	PA2065US

ENCLOSURES (check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input checked="" type="checkbox"/> Amendment / Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Response to Missing Parts/Incomplete Application <input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Assignment Papers (for an Application) <input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____	<input type="checkbox"/> After Allowance Communication to Group <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input checked="" type="checkbox"/> Other Enclosure(s) (please identify below): Postcard
Remarks Total page number does not include the postcard.		COPY

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT	
Firm or Individual name	Carr & Ferrell, LLP Cust. No. 22830
Signature	 Reg. No. 50,250
Date	July 8, 2002

CERTIFICATE OF MAILING			
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date: July 8, 2002			
Typed or printed name	Steven M. Colby		
Signature		Date	July 8, 2002

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Alan Ballard, John Schroeder, Peggy Shafer, and
Theresa Sherwood

SERIAL NO.: 10/035,413

FILING DATE: December 28, 2001

TITLE: Customization of Immediate Access and Hotkey
Functionality in an Internet Application User Interface

EXAMINER: Unknown


ART UNIT: 2181

ATTY.DKT.NO.: PA2065US

CERTIFICATE OF MAILING

I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on the date printed below:

Date: July 8, 2002


Steven M. Colby

Commissioner for Patents
Washington, D.C. 20231

Sir:

COPY

2nd PRELIMINARY AMENDMENT

The captioned application is U.S. Serial No. 10/035,413, filed December 28, 2001.

Before action, please amend the captioned application as follows.

IN THE CROSS-REFERENCE TO RELATED APPLICATIONS

Please replace paragraphs 1 and 2 with the following scannable version of paragraphs 1 and 2.

[0001] This application claims priority from commonly owned U.S. Provisional Patent Application No. 60/273,190 entitled "HTML – Based Applications for Support of Complex Transactions," filed March 2, 2001 and U.S. Provisional Patent Application No. 60/316,773, entitled "Meta Language Control of Complex Network Applications," filed August 31, 2001. The disclosures of these two provisional patent applications are incorporated herein by reference.

[0002] This application is related to co-pending U.S. Patent Application No. 10/040,397, entitled "Customization of Tab-order Functionality in Internet Applications," co-pending U.S. Patent Application No. 10/041,034, entitled "Customization of Client-Server Interaction in an Internet Application," co-pending U.S. Patent Application No. 10/041,015, entitled "Customization of User Interface Presentation in an Internet Application User Interface," co-pending U.S. Patent Application No. 10/165,623, entitled "System and Method for Automatic Generation of HTML Based Interfaces Including Alternative Layout Modes," and co-pending U.S. Patent Application No. 10,040,396, entitled "System and Method for Searching Data Partially Displayed on a User Interface."

REMARKS

The present application is U.S. Patent Application Serial No. 10/035,413. This 2nd Preliminary Amendment is being filed prior to receipt of the first Office Action. No new matter has been added by these amendments. Attached as Appendix A is the marked-up version showing the amendment.

The Examiner is respectfully requested to enter this Amendment and to examine the pending claims. The Examiner is respectfully urged to consider the claimed invention at the earliest time possible and issue a favorable action indicating the application is in condition for allowance. If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone Applicant's undersigned representative at the number given below.

Respectfully submitted,

Alan Ballard et al.

Date: July 8, 2002

By: 

Steven M. Colby, Ph.D.
Registered Patent Agent
Reg. No. 50,250
Carr & Ferrell LLP
2225 East Bayshore Road, Suite 200
Palo Alto, CA 94303
Phone: (650) 812-3424
Fax: (650) 812-3444

APPENDIX A

[0001] This application claims priority from commonly owned U.S. Provisional Patent Application No. 60/273,190 entitled "HTML – Based Applications for Support of Complex Transactions," filed March 2, 2001 and U.S. Provisional Patent Application No.

60/_____316,773, entitled "Meta Language Control of Complex Network Applications," filed August 31, 2001. The disclosures of these two provisional patent applications are incorporated herein by reference.

[0002] This application is related to co-pending U.S. Patent Application No.

60/_____10/040,397, entitled "Customization of Tab-order Functionality in Internet Applications," co-pending U.S. Patent Application No. 60/_____10/041,034, entitled "Customization of Client-Server Interaction in an Internet Application," co-pending U.S. Patent Application No. 60/_____10/041,015, entitled "Customization of User Interface Presentation in an Internet Application User Interface," co-pending U.S. Patent Application No. 10/165,623, entitled "System and Method for Automatic Generation of HTML Based Interfaces Including Alternative Layout Modes," and co-pending U.S. Patent Application No.

60/_____10/040,396, entitled "System and Method for Searching Data Partially Displayed on a User Interface."